•		CLASSIFICAT	ION SECRET			[
COUNTRY _	pumenia		······································	REPORT	Γ NO	25X1
OPIC.	Turnu Seye	rin ships	raxâ		TELET STATE OF THE CONTRACT OF	
	-		and the supportant of the support of			and the state of t
EVALUATION		25X1	PLACE OBTAINED_		addition which the reserve to the rest. The rest of a second state of the second state	CONTINUE AND
DATE OF CO	ONTENTU	to July	1948	25X ²	1	
DATE OBTAI	NED	25)	X1 DATE PR	EPARED	21 April 1950	
REFERENCE						n etainnykki sykonkallipäällänykyistän tälviätsis kyn, yks sahti
PAGES	5 EN	CLOSURES ((NO. & TYPE) 1 sket	ch on ditt		
REMARKS	especiaje aprilatios (nas indexechazione) addicamanta (ne suc	i talikur talgamin nelili megar shengar shekaliyi daliri kali shediri . wa	инфектита ба ин фек лий в 11 гг (билимар, од настий услугий булбеврени <mark>ф</mark> ектичностий	COMMISSION OF THE STREET, AND STREET,	inning trackets of the second section of the section of the second section of the se	taringgi sapananagananak et ilingga eritika
zanggyapa. Mikanya di Dir agirtahan kahalanya nega kah _a utuch :	ON THE AND REAL PROPERTY OF THE PROPERTY OF TH	OF THE PROPERTY OF THE PROPERT	XFTH	RN TO C	A LIBRARY	nua uudantindanua halunuaaphun 11 n-däädäa 11 taa.
and the state of t		de en er dessenogen är saga zodssen deliktetat ett sakstidati. Se		PARTIE OF THE PROPERTY PROPERTY.		
De gala nt webst-klockeler filler i ylk ktybolskinser bedy i	Charles karlago skolkosofii progrado kiukoa kondostikolijski	Child College and State College of Artist Law Sta	ANCENNAN (SANCE) I HOMENYINGI YA SANONUKUTU NIKEZO NIKEZE	hander der State der	TEACHTEAN (BELLIOTHAN SE ONLINE OF WASE OF THE OF THE AND AND 17 HER WAS ONLY ON THE OF THE O	on supplementation of Education and Supplementation and Supplement
		*				
1						
A, o	Prefatory	Note				
	The correctional	et offici Naval Tu	al name of the s rnu severin (Tu	o-called rnu Gover	SRT Yard is in Shipyard).	
	Ministry (of Traffi	ed plant and und c. It is a non-	er the co	ntrol of the	
	tarized in soldiers.	n the war	with the armed i . Only the guar	cres and	was not mili-	
Во	tarized is soldiers.	n the war	with the armed 1	orces and detail	was not mili-	
B •	tarized is soldiers.	t, person	with the armed in Only the guarement, soviet control popescu, about	orces and detail trol	was not mili- consists of old, tall,	
	tarized is soldiers.	t, person	with the armed in Only the guarement, soviet control popescu, about	orces and detail trol trol trol formerly is a Commu	old, tall, a smith in the nist. He was	
	tarized is soldiers.	n the war	with the armed in Only the guareness, soviet continued, soviet continued, soviet continued, show a shippard and appointed to 1947. Engineer Tancomarried dark—In the yard so the Galatz shockarge of the is a specialis.	torces and detail trol to 42 years formerly is a Communis present in about 4 complexion ince 1947, ipyard whe shipbuild st in the	old, tall, a smith in the nist. He was t position in O years old, ed, 1.68 m high, previously in	•
-	tarized in soldiers. Managemen General M	t, person	with the armed in Only the guarantees. An experiment Georgian of the grand of the g	forces and detail trol t 42 years formerly is a communis present to a communication ince 1947, ince 1947, in the pert. He	old, tall, a smith in the nist. He was t position in O years old, ed, 1.68 m high, previously in re he was in ing section. He design of subma-	lst . lođ ,
1.	tarized is soldiers. Managemen General M Managing	t, person anager; engineer;	with the armed in Only the guarantees. An experiment of the guarantees of the galact should be a special in the years. Engineer continues of the galact should be a special in the years. Engineer: Engineer georgeness of the galact should be a special in the years.	forces and detail trol t 42 years formerly is a communis present to a communication ince 1947, ince 1947, in the pert. He	old, tall, a smith in the nist. He was t position in O years old, ed, 1.68 m high, previously in re he was in ing section. He design of subma- is not a Communi	lst . lođ ,
1.	tarized is soldiers. Managemen Ceneral M Managing Deputy Na Labor and a. Befor	t, person aneger; engineer; aging en	with the armed in Only the guar mel, goviet common popescu, about dark; he was shipyard and appointed to light? Engineer Tancommercied dark—In the yard sthe Galatz shiph charge of the is a special in rines. An example of the is a special in the capacity of the is a special in the same agineer: Engineer: Engineer Georgian of the expert.	forces and detail trol t 42 years formerly is a Communis present in the pert. He gescu, 39 yard sin workmen wa	old, tall, a smith in the nist. He was t position in O years old, ed, 1.68 m high, previously in re he was in ing section. He design of subma- is not a Communi	lst. led, licient
1.	tarized is soldiers. Managemen General M Managing Deputy :a Labor and a. Befor during th	t, person aneger; engineer; aging en	with the armed in Only the guarantees, soviet continued, soviet continued, soviet continued, soviet continued, about appointed to 1947. Engineer Tancamarried dark of the Galatz she charge of the is a special in rines. An expertance in the expert. The number of twee raised to 2	forces and detail trol t 42 years formerly is a Communis present in the pert. He gescu, 39 yard sin workmen wa	old, tall, a smith in the nist. He was t position in to previously in re he was in ing section. He design of submatis not a Community ears old, marrice 1939. An effect of the section of	lst. lod, lodent

The second of the second of the

habor and staff amounted to 1,400 persons; 150 of them were officials and clorks. In addition there were 200 apprentices who have their own vocational-training school; leaseons are held in a building in the city (generally at Bulv.Carol).

- b. The labor 15. 95 percent Rumanian;, including 2 percent women. Nost of the working people are between the ages of 25 and 40. They mostly live in Turnu Severin, only a few of them in the nearby villages.
- c. Political purges, especially among the officials, took place in 1946/1947.
- d. The workmen are frequently compelled to do unpaid overtime work under the designation of voluntary Labor Service, and regularly on Saturday.

3. Soviet control:

There is a permanent Soviet control and quality inspection (acceptance) commission with headquarters outside the ship-yard in the office building of the SRT(No 1 on .nnex). This is a one-story building, 20x15 meters, with a mezzanine. Ill members of the Soviet commission wear civilian clothes. The commission has about five members.

G. Location, Traffic conditions

- 4. The area of the yard is level and about 6 or 7 meters above the mean level of the panube. The shippard area is shaped like an irregular trapeze, longitudinal sides 600 and 400 meters (the longer one is on the river side), the western side is 220 meters long, the eastern side 150 meters. The main entrance is on the eastern side. The control check clocks for the workmen are also there. Another entrance on the eastern side leads only to the administration buildings. The premises of the yard are surrounded by a board fence on the three landward sides, in 2 meters high in the west and the east, and 2.5 to 3 meters in the north.
- 5. Approach roads, railroad sidings:


There are railroad sidings in the yard. The track comes from the railroad station of Tunnu Severin which is about 1,200 meters west of the shipyard. It enters the premises of the yard on the western side and crosses the whole area parallel with the Danube, almost to the eastern side.

D. Buildings

(The serial numbers correspond to the numbers on the layout sketch)

(1) Office building of the SRT (Sovrom Transport), outside the shippard, headquarters of the yard's Soviet control commission.

,	•	
£		
JECR PT		
	25X1	




25X1

(2) Administration building, 40x15 meters, ground floor and second story, accommodates the offices of the general manager and of the administration manager, the administration offices and the accounting office. porter's lodge is on the ground floor.

- (3) Technical service. Ground floor and second story, size 15%8 meters with the office rooms of the managing engineer, drawing and calculating offices, etc.
- (4) Dwelling house of general manager, 20x12 meters.
- (5) in arbor, 4 meters in diameter, in the middle of the garden.
- (6) Park, about 60x80 meters
- (7) Boiler house and bath, 80x50x10 meters
- (8) Storehouse, for minor material and component parts tools etc. one-story, L-shaped, 60x25x15 meters.
- (9) workshop building, looxlox20 meters, with smithy, lathes, mechanical workshop, several cranes on traveling bridges. The interior is divided into several compartments by sheet-iron partitions.
- (10) Carpentry, 40x15x7 meters. The interior has several shops, i.e. rough and precision working shops, master carpenter's office etc.
- (11) Transformer cabin, 4x4x7 meters, where electric current is transformed to the voltage of the yard.
- (12) Crane, running on rails, for carrying material from the workshop to the slip.
- (13) Electrical workshop, 40x20 meters
- (15) Glip, "large slip", for building motor vessels and stenmers, 130x70 meters.
- (14) Glip, "small slip", for building Danube barges (tow barges), 100x60 meters, 30 meters to the east.
- (16) Canteen with kitchen, a cantonment building 35x15 meters.
- (17) Trigonometrical beacon of yard.
- (18) Docking crane, for partial lifting of ships, 35 meters high. The boom of the crane reaches to about 25 meters across the Danube. The foot of the crane rests on an 8x8-meter concrete base. The crane can lift ships out of the water to a certain height so repair work can be done on the skin plating.
- (19) Foundry and forge, completed as late as 1948, with foundry for bronze castings etc., for making ship's propellers, pistons, crank shafts etc., with one smokestack.





m early 1944, the shipyard was attacked by the Us ir Force and the buildings in the NN section were damaged. As early as 1946 everything was rebuilt and all war damages repaired.

The most vulnerable spots in the yard are the boiler house and the transformer building.

E. Production, capacity

6. Energy:

Electric and steam power are used for driving the machine tools and other machines.

The shippard has no power station of its own but uses current from the public mains of the town of Turnu Severin which is transformed in the transformer house .

25X1

Steam power is produced in the boiler house, fuel oil is used for combustion and arrives by way of the Danube.

7. Raw material, semi-finished products, etc.:

semi-finished iron products, sheet iron etc. are supplied by the Reschitza Torks and arrive by rail; timber is furnished by the forest administration of the vicinity. I.C. engines are ordered and arrive from abroad.

8. prewar production:

Before the war this shipyard was the most important shipbuilding yard for both passenger and cargo vessels of the Rumanian Danube navigation. Among other vessels the passenger express Carol II was built in the late thirties and was about 80 meters long, 27 to 30 meters wide and her draft was 3.5 to 4 meters; she had two decks over the main deck. This pride of the Rumanian Danube fleet was sunk in 1940.


9. Production during the War:

During the war, only warships, PT boots for employment on the Danu e and sea-going PT boats for the German Navy were built. At that time German engineers also worked in the yard. Repair work was continually done to warships and merchant vessels which had been damaged directly or indirectly by enemy action.

lo. Present Production:

After 1945 river ships for the Soviet Union were built almost exclusively. Both specifications and other data for the ships are furnished by the Soviets. The engines arrive from the Soviet Union and are assembled in the yardly Repair work to gussian and Rumanian vessels is also done. The major part of the deliveries is on armistice and peace treaty account, i.e. they are not paid for; part of the deliveries, however, is made under the commercial treaty.

SEC ŁŹĆ	
	25X1



25X1

11. Tests, Delivery:

Finished ships undergo their test runs on the Danube when they are inspected and taken over by the Joviet control commission. Thile the ships are under construction the Joviets do not interfere and leave everything to the Aumanian engineers. The Joviets do not appear until the ships are taken over. The accepted ships get Russian crews and proceed to the Joviet Union under their own power; they get Rumanian pilots as far as Galati.

12. Work Hours:

The shippard works in two day shifts from 6 a.m. to 2 p.m. and from 2 p.m. to 10 p.m. work in the workshops is continued after nightfall, but is discontinued on the slips.

Socialist Afficiency Competitions with other shipperds of the country are frequently held.

F. f. protection

During the night the shipyard is guarded by dumanian soldiers. During the day there are only the porters of the yard.

25X1 Comment:

The mentioned shippard has been dealt with in a previous report.* The present report contains a layout sketch and detailed information on the leading persons and the mechanical equipment of the yard. A remarkable feature is the statement that the general (administrative) as well as the technical management of the shippard are in dumanian hands. Despite the fact that this shippard is an enterprise of the govromtransport corporation (SAT) the Loviets confine themselves to the general control. In contrast, in the Loviet Zone of germany, the posts of general managers in the Loviet Corporations affiliated to them are, as a rule, held by questions.

l \nnex: Turnu Severin Shipyard

SECRET - Approved For Release 2003/08/05 : CIA-RDP82-00457R004900450010-2